

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(@ay<="2003" OR @rlad<="20031125") AND pac\$3 WITH (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:28
L2	2	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:28
L3	2	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction) AND (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:30
L4	1570	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:30
L5	8	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:30
L6	785	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction) AND signal SAME (prevent\$3 OR stop\$4 OR limit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:32
L7	17	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (pace OR pacing) WITH (command OR instruction) AND signal SAME (prevent\$3 OR stop\$4 OR limit \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:32
L8	44	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (pace OR pacing) WITH (command OR instruction) AND signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:35

L9	4	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (pace OR pacing) WITH (command OR instruction) WITH signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:37
L10	597	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH (command OR instruction) WITH signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:37
L11	428	(@ay<="2003" OR @rlad<="20031125") AND (pace OR pacing) WITH command WITH signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:38
L12	96	(@ay<="2003" OR @rlad<="20031125") AND pace WITH command WITH signal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 16:38
S1	99	((6393572") or ("20050143843") or ("20070255432") or ("5982672") or ("6804292") or ("20060010267") or ("6306100") or ("6122697") or ("6263075") or ("20060069458") or ("5835787") or ("6122331") or ("6323894") or ("6275889") or ("5678193") or ("5384845") or ("6038672") or ("6085329") or ("5872747") or ("6108718") or ("6253184") or ("6029095") or ("5027282") or ("20070225865") or ("6104909") or ("6233393") or ("5553220") or ("5629687") or ("5815297") or ("5940358") or ("5448225") or ("5647787") or ("5712991") or ("5732279") or ("5761439") or ("5848146") or ("5898605") or ("5898892") or ("5901332") or ("5974478") or ("5987554") or ("6049806") or ("6055609") or ("6072864") or ("6195766") or ("6317592") or ("20070250212") or ("6434633") or ("5425031") or ("5473666") or ("5640433") or ("5646678") or ("5652712") or ("5740420") or ("5768308") or ("5774567") or ("5977995") or ("6006189") or ("6016550") or ("6112220") or ("6128317") or ("6167040") or ("6167415") or	US-PGPUB; USPAT	OR	OFF	2009/01/27 18:24

		("6175849") or ("6185424") or ("6199035") or ("6215429") or ("6215429") or ("6255972") or ("6269103") or ("6314485") or ("6374148") or ("6389033") or ("6401152") or ("6404780") or ("6430671") or ("6466584") or ("6473870") or ("6477177") or ("6480908") or ("6483857") or ("6529975") or ("6549669") or ("6584570") or ("6611912") or ("6721707") or ("6754295") or ("6766291") or ("7139701") or ("7142525") or ("7155388") or ("7162029") or ("7188196") or ("7254535") or ("20010016924") or ("20020138773") or ("20030070023") or ("20030092421") or ("20030125960") or ("20030204276")).PN.				
S2	22	("5452432") or ("5530941") or ("5664197") or ("5678009") or ("5708849") or ("5729762") or ("5751994") or ("5794070") or ("5805842") or ("6108743") or ("5862387") or ("5996038") or ("6119189") or ("6131127") or ("6151654") or ("6157970") or ("6275242") or ("6385671") or ("6401144") or ("6438686") or ("6560657") or ("6567953")).PN.	US-PGPUB; USPAT	OR	OFF	2009/01/27 18:24
S3	181	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec AND DMA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:24
S4	78	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) ADJ pacing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S5	89	(@ay<="2003" OR @rlad<="20031125") AND counter WITH frame SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S6	84	(@ay<="2003" OR @rlad<="20031125") AND frame NEAR5 count\$3 SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25

S7	10	(@ay<= "2003" OR @rlad<= "20031125") AND frame NEAR5 count\$3 WITH (pace OR tempo)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S8	47	(@ay<= "2003" OR @rlad<= "20031125") AND frame NEAR5 count\$3 AND (set\$4 OR configur\$3) WITH (pace OR tempo)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S9	6	(@ay<= "2003" OR @rlad<= "20031125") AND 710/5.cccls. AND (set\$4 OR configur\$3) ADJ (pacing OR pace)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S10	6	(@ay<= "2003" OR @rlad<= "20031125") AND 710/5.cccls. AND (set\$4 OR configur\$3) ADJ (pacing OR pace OR tempo)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S11	27	(@ay<= "2003" OR @rlad<= "20031125") AND "710".clas. AND (set\$4 OR configur\$3) ADJ (pacing OR pace OR tempo)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S12	12	(@ay<= "2003" OR @rlad<= "20031125") AND "710".clas. AND (pacing OR pace).ti.	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S13	4	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace).ti. AND codec AND buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S14	4	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace).ti. AND codec	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S15	7	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace).ab. AND codec	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:25
S16	6	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo). ti. AND codec AND buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26

S17	6	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo). ti. AND codec	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S18	6	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo). ti. AND codec AND command	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S19	36	(@ay<= "2003" OR @rlad<= "20031125") AND 710/5.cccls. AND (pacing OR pace OR tempo)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S20	23	(@ay<= "2003" OR @rlad<= "20031125") AND 710/5.cccls. AND (pacing OR pace OR tempo OR rate) AND codec	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S21	91	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) SAME codec SAME DMA	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S22	76	(@ay<= "2003" OR @rlad<= "20031125") AND codec WITH ((command OR instruction) AND data) WITH buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:26
S23	1	(@ay<= "2003" OR @rlad<= "20031125") AND codec SAME ((command OR instruction) AND data) ADJ buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S24	75	(@ay<= "2003" OR @rlad<= "20031125") AND codec AND ((command OR instruction) AND data) ADJ buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S25	7	(@ay<= "2003" OR @rlad<= "20031125") AND codec SAME (command OR instruction) ADJ buffer	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S26	30	(@ay<= "2003" OR @rlad<= "20031125") AND codec SAME (command OR instruction) ADJ (buffer OR register)	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27

S27	4	(@ay<="2003" OR @rlad<="20031125") AND codec SAME (command OR instruction) ADJ (buffer OR register) SAME (data ADJ (buffer OR register))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S28	34	(@ay<="2003" OR @rlad<="20031125") AND DMA WITH codec WITH ((command OR instruction) AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S29	91	(@ay<="2003" OR @rlad<="20031125") AND DMA ADJ controller WITH codec WITH memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S30	6	(@ay<="2003" OR @rlad<="20031125") AND DMA ADJ controller WITH codec WITH memory SAME (command AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S31	638	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:27
S32	45	(@ay<="2003" OR @rlad<="20031125") AND "710".clas. AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S33	100	(@ay<="2003" OR @rlad<="20031125") AND (command OR instruction) WITH (pacing OR pace OR speed OR tempo) AND audio ADJ codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S34	12	(@ay<="2003" OR @rlad<="20031125") AND codec SAME ((command OR instruction) AND data) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S35	196	(@ay<="2003" OR @rlad<="20031125") AND codec AND DMA AND ((command OR instruction) AND data) ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28

S36	11	(@ay<= "2003" OR @rlad<= "20031125") AND codec AND DMA AND ((command OR instruction) AND data) ADJ (FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S37	10	(@ay<= "2003" OR @rlad<= "20031125") AND codec AND DMA AND (command AND data) ADJ (FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S38	125	(@ay<= "2003" OR @rlad<= "20031125") AND codec SAME DMA SAME ((command OR instruction) AND data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S39	10	(@ay<= "2003" OR @rlad<= "20031125") AND DMA WITH transfer\$4 WITH ((command OR instruction) AND data) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:28
S40	31	(@ay<= "2003" OR @rlad<= "20031125") AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S41	238	(@ay<= "2003" OR @rlad<= "20031125") AND DMA WITH transfer\$4 SAME ((command OR instruction) AND data) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S42	118	(@ay<= "2003" OR @rlad<= "20031125") AND DMA WITH transfer\$4 WITH ((command OR instruction) AND data) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S43	69	(@ay<= "2003" OR @rlad<= "20031125") AND codec AND response ADJ (buffer OR register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S44	19	(@ay<= "2003" OR @rlad<= "20031125") AND codec AND response ADJ (buffer OR register) SAME command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S45	58	(@ay<= "2003" OR @rlad<= "20031125") AND "roll-over" ADJ counter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29

S46	20	(@ay<= "2003" OR @rlad<= "20031125") AND CODEC AND response ADJ (buffer OR register) SAME (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:29
S47	1	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) ADJ signal SAME (command OR instruction) SAME (block OR stop) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:58
S48	81	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) SAME (command OR instruction) SAME (block OR stop) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 18:59
S49	25	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) SAME (command OR instruction) SAME (block OR stop) WITH codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 19:01
S50	23	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) SAME (block OR stop) WITH (command OR instruction) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 19:08
S51	23	(@ay<= "2003" OR @rlad<= "20031125") AND (pacing OR pace OR tempo OR rate) SAME (block\$3 OR stop\$4) WITH (command OR instruction) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 19:13
S52	24	(@ay<= "2003" OR @rlad<= "20031125") AND signal SAME (block\$3 OR stop \$4) WITH (command OR instruction) WITH (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 19:17
S53	6	(@ay<= "2003" OR @rlad<= "20031125") AND signal SAME ((to ADJ block\$3) OR stop\$4) WITH (command OR instruction) WITH (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 19:29

S54	0	(@ay<="2003" OR @rlad<="20031125") AND signal SAME (prevent\$3) WITH overflow WITH (command OR instruction) WITH (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:53
S55	0	(@ay<="2003" OR @rlad<="20031125") AND signal SAME (prevent\$3) WITH overflow SAME (command OR instruction) WITH (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:53
S56	0	(@ay<="2003" OR @rlad<="20031125") AND signal SAME (prevent\$3) WITH overflow SAME (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:53
S57	21	(@ay<="2003" OR @rlad<="20031125") AND signal SAME (prevent\$3) WITH overflow AND (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 09:53
S58	21	(@ay<="2003" OR @rlad<="20031125") AND signal SAME (prevent\$3 OR stop\$4) WITH overflow AND (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 13:10
S59	0	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH additional NEAR5 (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 13:12
S60	102	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 13:12

S61	1050	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH (additional OR extra) WITH (command OR instruction) SAME (memory OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:46
S62	0	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH (additional OR extra) NEAR5 (command OR instruction) SAME (memory OR buffer) SAME codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:47
S63	626	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH (additional OR extra) NEAR5 (command OR instruction) SAME (memory OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:47
S64	305	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR block\$3) WITH (additional OR extra) NEAR5 (command OR instruction) WITH (memory OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:48
S65	119	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4) WITH (additional OR extra) NEAR5 (command OR instruction) SAME (memory OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:48
S66	193	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR limit \$3) WITH (additional OR extra) NEAR5 (command OR instruction) SAME (memory OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 15:49
S67	12	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR limit \$3) WITH (additional OR extra) NEAR5 (command OR instruction) SAME (memory OR buffer) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 17:37
S68	25	(@ay<="2003" OR @rlad<="20031125") AND (prevent\$3 OR stop\$4 OR limit \$3) WITH (additional OR extra) NEAR5 (command OR instruction) AND codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 17:39

S69	23	(@ay<= "2003" OR @rlad<= "20031125") AND (prevent\$3 OR stop\$4 OR limit \$3) NEAR5 (command OR instruction) SAME (memory OR buffer) SAME codec	US_PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 18:37
-----	----	--	---	----	----	---------------------

1/29/2009 6:46:11 PM

C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces  
\10723132\_Codec\_Command\_Pacing\_A.wsp